


Uponor Minitec nubfoil self-adh 8pce, 6,2m² 1100x700x12mm

1083866

- Pipe fixation panel made of polystyrol
- With overlap on both sides with triangular location studs
- Perforated panel to allow levelling compound to encapsulate the whole assembly even onto the substructure below the panel
- With self-adhesive back for proper fixture to screed and tiled floors.



About Uponor Minitec nubfoil self-adh

Specification

- Minitec underfloor heating system for fixation on solid floors or specified insulation materials
- Designed as sturdy pipe fixing system of minimum height, with integrated pipe laying channels for correct pipe laying distances
- For use with Uponor Minitec PE-Xa pipes 9.9 x 1.1 mm; allowing for straight and diagonal pipe laying
- Fire class E to BS EN 13501-1 (pipe and panels)
- Pipe spacing: Vz 5, 10, 15
- Net surface with overlapping nubs: 0,77m²

Application


- Radiant underfloor heating and cooling
- Very low construction height
- For use with qualified filler materials

Certification

- DIN CERTCO: 7F170-F

Uponor Minitec nubfoil self-adh 8pce, 6,2m2 1100x700x12mm

1083866



Product code

Item no EAN	4021598131163
Item no GTIN	04021598131163
Item no LVI	2023413
Item no NOBB	50389712
Item no NRF	8361056
Item no RSK	5363715
Item no VVS	339262010

Dimensions

Item Unit Height	15
Item Unit Length	1115
Item Unit Weight	6,16
Item Unit Width	715
Item_UOM	set

Packaging

Packaging GTIN PL1	06414905469819
Packaging GTIN PL4	06414905500550
Packaging Height PL1	110
Packaging Height PL4	1700
Packaging Length PL1	1120
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	16
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,08932
Packaging Volume PL4	1,632
Packaging Weight PL1	7,78
Packaging Weight PL4	124,48
Packaging Width PL1	725

Packaging Width PL4

800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb